

POLAR FRANCE - LE TRAITEMENT DE L'EAU

FBC



FBC

EAN13: 3586294231018

COLLECTIF

EAU DE BOISSON - CONSOMMABLE

BACTERIE



ACCÈS RAPIDE:

TARIF



DESCRIPTION:

KIT ANNUEL CARTOUCHE POUR FB FBN PURIF>08 (CCJFI5 + 2xCCJCA)



POLAR FRANCE - LE TRAITEMENT DE L'EAU FBC

INTERVAL D'ENTRETIEN:

1 AN



POLAR FRANCE - LE TRAITEMENT DE L'EAU
FBC



10" IN-LINE CARBON CTO FILTER EZ
 Heavy metal, Chlorine, Taste & Odor Removal

Maximum Flow: 2.8 GPM
 Maximum Pressure: 120 PSI
 Service Life: 8 Bars

1. FOR REPLACEMENT: Shut off water supply.
 2. Remove cap and pull out old filter.
 3. Push several times on the top of the filter to clean the mesh of filter.
 4. Push several times on the top of the filter to clean the mesh of filter.
 5. Push several times on the top of the filter to clean the mesh of filter.
 6. Check for leaks.
 7. Push the filter into the housing and push the cap back on.
 8. Turn on the water supply and check for leaks.
 9. Push the filter into the housing and push the cap back on.
 10. Turn on the water supply and check for leaks.

FOR COLD WATER USE ONLY

10" IN-LINE SEDIMENT FILTER EZ
 Cartridge for removal of sand & dirt filtration

Maximum Flow: 2.8 GPM
 Maximum Pressure: 120 PSI
 Service Life: 8 Bars

1. FOR REPLACEMENT: Shut off water supply.
 2. Remove cap and pull out old filter.
 3. Push several times on the top of the filter to clean the mesh of filter.
 4. Push several times on the top of the filter to clean the mesh of filter.
 5. Push several times on the top of the filter to clean the mesh of filter.
 6. Check for leaks.
 7. Push the filter into the housing and push the cap back on.
 8. Turn on the water supply and check for leaks.
 9. Push the filter into the housing and push the cap back on.
 10. Turn on the water supply and check for leaks.

FOR COLD WATER USE ONLY

10" IN-LINE CARBON CTO FILTER EZ
 Heavy metal, Chlorine, Taste & Odor Removal

Maximum Flow: 2.8 GPM
 Maximum Pressure: 120 PSI
 Service Life: 8 Bars

1. FOR REPLACEMENT: Shut off water supply.
 2. Remove cap and pull out old filter.
 3. Push several times on the top of the filter to clean the mesh of filter.
 4. Push several times on the top of the filter to clean the mesh of filter.
 5. Push several times on the top of the filter to clean the mesh of filter.
 6. Check for leaks.
 7. Push the filter into the housing and push the cap back on.
 8. Turn on the water supply and check for leaks.
 9. Push the filter into the housing and push the cap back on.
 10. Turn on the water supply and check for leaks.

FOR COLD WATER USE ONLY

FBC
 BOIRE BACTERIE

3 586294 231018

POLAR FRANCE - 22/09/2017 - 01.48.69.36.27

